







Sr.No.	Threaded Bits Scan Rock Traders Part Number	Diameter		Button Qty Gauge	Face	Bit Face Configuration	Carbide Button Design	
		mm	Inches					
<b>Button Bit Regular R22 (7/8") Rope Thread</b>								
1	R22-FL-Bit-38-G4-F2-S	38	1-1/2"	4	2	Flat	Spherical	
2	R22-FL-Bit-38-G5-F2-S	38	1-1/2"	5	2	Flat	Spherical	
3	R22-FL-Bit-41-G5-F2-S	41	1-5/8"	5	2	Flat	Spherical	
4	R22-FL-Bit-48-G5-F2-S	48	1-7/8"	5	2	Flat	Spherical	
<b>Button Bit Regular R25 (1") Rope Thread</b>								
1	R25-FL-Bit-33-G5-F2-S	33	1 5/16"	5	2	Flat	Spherical	
2	R25-FL-Bit-35-G5-F2-S	35	1 3/8"	5	2	Flat	Spherical	
3	R25-FL-Bit-35-G5-F2-S	35	1 3/8"	5	2	Flat	Spherical	
4	R25-FL-Bit-38-G5-F2-S	38	1 1/2"	5	2	Flat	Spherical	
5	R25-FL-Bit-38-G5-F2-S	38	1 1/2"	5	2	Flat	Spherical	
6	R25-FL-Bit-41-G5-F2-S	41	1 5/8"	5	2	Flat	Spherical	
7	R25-FL-Bit-45-G5-F2-S	45	1 3/4"	5	2	Flat	Spherical	
8	R25-FL-Bit-45-G6-F3-P	45	1 3/4"	6	3	Flat	Parabolic	
9	R25-FL-Bit-48-G6-F3-S	48	1 7/8"	6	3	Flat	Spherical	
10	R25-FL-Bit-51-G6-F3-S	51	2"	6	3	Flat	Spherical	
<b>Button Bit Retract-R25 (1") Rope Thread</b>								
1	R25-FL-Bit-51-G6-F3-S-R	51	2"	6	3	Flat	Spherical	
2	R25-FL-Bit-51-G6-F3-S-R	51	2"	6	3	Flat	Spherical	
<b>Button Bit Regular R28 (1") Rope Thread</b>								
1	R28-FL-Bit-38-G5-F2-S	38	1-1/2"	5	2	Flat	Spherical	
2	R28-FL-Bit-41-G5-F2-S	41	1-5/8"	5	2	Flat	Spherical	
3	R28-FL-Bit-48-G6-F3-S	48	1 7/8"	6	3	Flat	Spherical	
4	R28-FL-Bit-48-G6-F3-P	48	1 7/8"	6	3	Flat	Parabolic	
5	R28-FL-Bit-51-G6-F3-S	51	2"	6	3	Flat	Spherical	

Sr.No.	Threaded Bits Scan Rock Traders Part Number	Diameter		Button Qty Gauge	Face	Bit Face Configuration	Carbide Button Design	
		mm	Inches					
<b>Button Bit Regular R32 (1- 1/4") Rope Thread</b>								
1	R32-FL-Bit-41-G5-F2-S	41	1 5/8"	5	2	Flat	Spherical	
2	R32-FL-Bit-43-G6-F3-S	43	1 11/16"	6	3	Flat	Spherical	
3	R32-FL-Bit-43-G5-F2-S	43	1 11/16"	5	2	Flat	Spherical	
4	R32-FL-Bit-45-G6-F3-S	45	1 3/4"	6	3	Flat	Spherical	
5	R32-FL-Bit-45-G5-F2-S	45	1 3/4"	5	2	Flat	Spherical	
6	R32-FL-Bit-48-G5-F2-S	48	1 7/8"	5	2	Flat	Spherical	
7	R32-FL-Bit-48-G6-F3-S	48	1 7/8"	6	3	Flat	Spherical	
8	R32-FL-Bit-51-G6-F3-S	51	2"	6	3	Flat	Spherical	
9	R32-FL-Bit-51-G6-F2-S	51	2"	6	2	Flat	Spherical	
10	R32-FL-Bit-57-G6-F3-S	57	2 1/4"	6	3	Flat	Spherical	
11	R32-FL-Bit-60-G6-F3-S	60	2 3/8"	6	3	Flat	Spherical	
12	R32-FL-Bit-60-G6-F3-S	60	2 3/8"	6	3	Flat	Spherical	
13	R32-FL-Bit-64-G8-F4-S	64	2 1/2"	8	4	Flat	Spherical	
14	R32-FL-Bit-64-G6-F3-S	64	2 1/2"	6	3	Flat	Spherical	
15	R32-FL-Bit-76-G8-F4-S	76	3"	8	4	Flat	Spherical	
16	R32-FL-Bit-76-G8-F5-D	76	3"	8	5	Flat	Spherical & Parabolic	
17	R32-FL-Bit-102-G8-F6-S	102	4"	8	6	Flat	Spherical	
18	R32-FL-Bit-106-G8-F6-S	106	4 1/6"	8	6	Flat	Spherical	
<b>Button Bit Retract R32 (1- 1/4") Rope Thread</b>								
1	R32-FL-Bit-45-G6-F3-P-R	45	1 3/4"	6	3	Flat	Parabolic	
2	R32-FL-Bit-51-G6-F3-S-R	51	2"	6	3	Flat	Spherical	
3	R32-FL-Bit-51-G6-F3-S-R	51	2"	6	3	Flat	Spherical	
4	R32-FL-Bit-57-G6-F3-S-R	57	2 1/4"	6	3	Flat	Spherical	
5	R32-FL-Bit-60-G6-F4-P-R	60	2 3/8"	6	4	Flat	Parabolic	
6	R32-FL-Bit-64-G6-F3-S-R	64	2 1/2"	6	3	Flat	Spherical	
7	R32-FL-Bit-64-G6-F4-P-R	64	2 1/2"	6	4	Flat	Parabolic	
8	R32-FL-Bit-64-G6-F4-S-R	64	2 1/2"	6	4	Flat	Spherical	
9	R32-FL-Bit-64-G8-F4-S-R	64	2 1/2"	8	4	Flat	Spherical	

Sr.No.	Scan Rock Traders Part Number	Diameter		Button Qty Gauge	Face	Bit Face Configuration	Carbide Button Design	
		mm	Inches					
<b>Threaded Bits</b>								
<b>Button Bit Regular</b>								
<b>R38 (1- 1/2") Rope Thread</b>								
1	R38-FL-Bit-64-G8-F4-S	64	2-1/2"	8	4	Flat Face	Spherical	
2	R38-FL-Bit-64-G8-F4-S	64	2 1/2"	8	4	Flat Face	Spherical	
3	R38-FL-Bit-70-G6-F4-P	70	2 3/4"	6	4	Flat Face	Parabolic	
4	R38-FL-Bit-76-G4-F2-S	76	3"	4	2	Flat Face	Spherical	
<b>Button Bit Retract</b>								
<b>R38 (1- 1/2") Rope Thread</b>								
1	R38-FL-Bit-64-G6-F3-S	64	2 1/2"	6	3	Flat Face	Spherical	
2	R38-FL-Bit-64-G6-F4-P	68	2 2/3"	6	4	Flat Face	Parabolic	
3	R38-FL-Bit-64-G8-F7-P	115	4 1/2"	8	7	Drop Centre	Parabolic	
<b>Button Bit Regular</b>								
<b>T35 (1- 1/3") Thread</b>								
1	T35-FF-Bit-64-G6-F4-S	51	2"	6	3	Flat Face	Spherical	
2	T35-FF-Bit-64-G6-F4-P	54	2 1/8"	5	2	Flat Face	Parabolic	
<b>Button Bit Regular</b>								
<b>T38 (1- 1/2") Thread</b>								
1	T38-DC-Bit-64-G6-F3-S	64	2 1/2"	6	3	Flat Face	Spherical	
2	T38-DC-Bit-68-G8-F4-S	68	2 2/3"	8	4	Flat Face	Spherical	
3	T38-FL-Bit-70-G7-F4-S	70	2 3/4"	7	4	Flat Face	Spherical	
4	T38-FL-Bit-76-G8-F5-S	76	3"	8	5	Flat Face	Spherical	
5	T38-DC-Bit-76-G7-F4-P	76	3"	7	4	Flat Face	Parabolic	
6	T38-DC-Bit-89-G8-F6-B	89	3 1/2"	8	6	Flat Face	Ballistic	
7	T38-DC-Bit-102-G8-F5-S	102	4"	8	5	Flat Face	Spherical	
8	T38-DC-Bit-127-G8-F7-S	127	5"	8	7	Flat Face	Spherical	















